

Index to Volume 49 (1998)

Authors and Titles

- Aizpuru M
See Blasco F 287
- Al Janahi A
See Anwahi A 359
- Al Zarouni M A R
See Anwahi A 359
- Amorim A F, Arfelli C A, Fagundes L
Pelagic elasmobranchs caught by longliners off southern Brazil during 1994-97: an overview. 621
- Anderson T A
See Appleford P 163
- Anwahi A, Al Zarouni M A R, Al Janahi A, Cherian T
Feasibility studies on mangrove *Avicennia marina* cultivation below ground level along the bank of a dug-out pond. 359
- Appleford P, Anderson T A, Gooley G J
Reproductive cycle and gonadal development of Macquarie perch, *Macquaria australasica* Cuvier (Percichthyidae), in Lake Dartmouth and tributaries of the Murray-Darling Basin, Victoria, Australia. 163
- Apte S C, Batley G E, Szymczak R, Rendell P S, Lee R, Waite T D
Baseline trace metal concentrations in New South Wales coastal waters. 203
- Araújo R J
See Snedaker S C 325
- Arfelli C A
See Amorim A F 621
- Au D W
See Smith S E 663
- Babanin A V, Soloviev Y P
Variability of directional spectra of wind-generated waves, studied by means of wave staff arrays. 89
- Bakes M J
See Nichols P D 763
- Baldwin J
See Wells R M G 143
- Barea L C
See Marín Y H 633
- Basak U C, Das A B, Das P
Seasonal changes in organic constituents in leaves of nine mangrove species. 369
- Batley G E
See Apte S C 203
- Begg G A, Sellin M J
Age and growth of school mackerel (*Scomberomorus queenslandicus*) and spotted mackerel (*S. munroi*) in Queensland east-coast waters with implications for stock structure. 109
Reproductive biology of school mackerel (*Scomberomorus queenslandicus*) and spotted mackerel (*S. munroi*) in Queensland east-coast waters. 261
- Bell P R F
See McEwan J 227
and Gabric A J 215
- Bennett M B
See Heupel M R 753
- Bianchini J-P
See Teai T 127
- Blasco F, Gauquelin T, Rasolofoharino M, Denis J, Aizpuru M, Caldaïrou V
Recent advances in mangrove studies using remote sensing data. 287
- Böer B, Gliddon D
Mapping of coastal ecosystems and halophytes (case study of Abu Dhabi, United Arab Emirates). 297
- Boulton A J
See Puckridge J T 55
- Brearely A
See van Tussenbroek 525
- Bridge N F, Mackay D, Newton G
Biology of the ornate angel shark (*Squatina tergocellata*) from the Great Australian Bight. 679
- Brown I W
See Kirkwood J M 41
- Brown S S
See Gaston G R 833
- Brum F
See Marín Y H 633
- Burridge T R
See Campbell S J 379
- Caille G
See Van Der Molen S 641
- Caldaïrou V
See Blasco F 287
- Cambon A
See Teai T 127
- Campbell S J, Burridge T R
Occurrence of *Undaria pinnatifida* (Phaeophyta: Laminariales) in Port Phillip Bay, Victoria, Australia. 379
- Castillo-Géniz J L, Márquez-Farías J F, Rodríguez de la Cruz M C, Cortés E, Cid del Prado A
The Mexican artisanal shark fishery in the Gulf of Mexico: towards a regulated fishery. 611
- Chapman M G
See Underwood A J 241
- Chen R
See Twilley R R 309
- Cherian T
See Anwahi A 359
- Chiaromonte G E
Shark fisheries in Argentina. 601
The shark genus *Carcharhinus* Blainville, 1816 (Chondrichthyes: Carcharhinidae) in Argentine waters. 747
- Chocca J F
See Marín Y H 633
- Cid del Prado A
See Castillo-Géniz J L 611
- Clark M R
See Francis R I C C 103
- Cleveland C M
See Gaston G R 833
- Collings G J
See Emerson L M 541
- Connell S D
Patterns of piscivory by resident predatory reef fish at One Tree Reef, Great Barrier Reef. 25
- Corfield J
See Kerr G 801
- Cortés E
See Castillo-Géniz J L 611
- Coutin P C
See Morison A K 491
- Cox K R
See Dudley S F J 653
- Cranston P S
See McKie B G L 79
- Dahdouh-Guebas F, Verreir M, Tack J F, Van Speybroeck D, Koedam N
Propagule predators in Kenyan mangroves and their possible effect on regeneration. 345
- Das A B
See Basak U C 369
- Das P
See Basak U C 369
- Davies-Colley R J
See Kirk J T O 1
and Shooter D 455
- Denis J
See Blasco F 287
- Die D
See Milton D A 499
- Donohue K
See Simpfendorfer C 593
- Drollet J H
See Teai T 127
- Dudley S F J, Haestier R C, Cox K R, Murray M
Shark control: experimental fishing with baited drumlines. 653
- Dunstan R H
See Walsh K 399
- Eggleston D B
See Lipcius R N 807
- El Amry M
Population structure, demography, and life tables of *Avicennia marina* (Forssk.) Vierh. at sites on the eastern and western coasts of the United Arab Emirates. 303
- Elliott N G
See Nichols P D 763
- Emmerson L M, Collings G J
Macroalgal recruitment in artificially disturbed areas: interactive effects of temporal and spatial scale. 541
- Fagundes L
See Amorim A F 621
- Ferreira B P
See Russ G R 507
- Field C
Rationales and practices of mangrove afforestation. 353
- Francis M P
New Zealand shark fisheries: development, size and management. 579
- Francis R I C C, Clark M R
Inferring spawning migrations of orange

- roughy (*Hoplostethus atlanticus*) from spawning ovoids. 103
- Gabric A J, McEwan I, Bell P R F
Water quality and phytoplankton dynamics in Moreton Bay, south-eastern Queensland. I. Field survey and satellite data. 215
See also McEwan J 227
- Gardner M G, Ward R D
Population structure of the Australian gummy shark (*Mustelus antarcticus* Günther) inferred from allozymes, mitochondrial DNA and vertebrae counts. 733
- Gaston G R, Rakocinski C F, Brown S S, Cleveland C M,
Trophic function in estuaries: response of macrobenthos to natural and contaminant gradients. 833
- Gauquelin T
See Blasco F 287
- Gibbs P
See Kobayashi T 547
- Glaister A
See Schreiber E S G 73
- Glaser T M
Estimating spatial variability in developing assemblages of epibiota on subtidal hard substrata. 429
- Gliddon D
See Böer B 297
- Glova G J
See Sagar P M 421
- González R
See Van Der Molen S 641
- Gooley G J
See Appleford P 163
- Gordon A N, Pople A R, Ng J
Trace metal concentrations in livers and kidneys of sea turtles from south-eastern Queensland, Australia. 409
- Grewé P M
See Innes B H 383
- Gribble N A, McPherson G, Lane B
Effect of the Queensland Shark Control Program on non-target species: whale, dugong, turtle, and dolphin: a review. 645
- Gunn J
See Hampton J 475
- Hacking N
Macrofaunal community structure of beaches in northern New South Wales, Australia. 47
- Haddy J A, Pankhurst N W
Annual change in reproductive condition and plasma concentrations of sex steroids in black bream, *Acanthopagrus butcheri* (Munro) (Sparidae). 389
- Haestier R C
See Dudley S F J 653
- Hakvoort J H M, Heineke M, Heymann K, Kühl H, Riethmüller R, Witte G
A basis for mapping the erodibility of tidal flats by optical remote sensing. 867
- Hallegraeff G M, Marshall J A, Valentine J, Hardiman S
Short cyst-dormancy period of an Australian isolate of the toxic dinoflagellate *Alexandrium catenella*. 415
- Hampton J, Gunn J
Exploitation and movements of yellowfin tuna (*Thunnus albacares*) and bigeye tuna (*T. obesus*) tagged in the north-western Coral Sea. 475
- Hardiman S
See Hallegraeff G M 415
- Heineke M
See Hakvoort J H M 867
- Heislars S
See Wilson R S 847
- Hesp P
See Hodgkin E P 183
- Heupel M R, Bennett M B
Observations on the diet and feeding habits of the epaulette shark, *Hemiscyllium ocellatum* (Bonnaterre) on Heron Island Reef, Great Barrier Reef, Australia. 753
- Heymann K
See Hakvoort J H M 867
- Higgs J B
See Russ G R 507
- Hilder P E
See Pankhurst P M 363
- Ho J-S
See Rohde K 121
- Hodgkin E P, Hesp P
Estuaries to salt lakes: Holocene transformation of the estuarine ecosystems of south-western Australia. 183
- Horwitz P
See Vanderklift M A 513
- Innes B H, Grewé P M, Ward R D
PCR-based genetic identification of marlin and other billfish. 383
- Jackson W B
See Kangas M I 517
- Jacoby C A
See Vanderklift M A 513
- James P J, Tong L J
Feeding technique, critical size and size preference of *Jasus edwardsii* fed cultured and wild mussels. 151
- Jones A R, Murray A, Marsh R E
A method for sampling sandy beach amphipods that tidally migrate. 863
- Jones G J
See Walsh K 399
- Jones M B
See Roast S D 827
- Kangas M I, Jackson W B
Sampling juvenile *Penaeus latissulcatus* Kishinouye with a water-jet net compared with a beam-trawl: spatial and temporal variation and nursery areas in Gulf St Vincent, South Australia. 517
- Kerr G, Corfield J
Association between the ghost shrimp *Trypaea australiensis* Dana 1852 (Crustacea: Decapoda) and a small deposit-feeding bivalve *Mysella vitrea* Laserson 1956 (Mollusca: Leptonidae). 801
- Kirk J T O, Davies-Colley R J, Shooter D, Schwarz A-M
Optical properties of ocean waters in the vicinity of the Chatham Rise, South Pacific Ocean. 1
See also Shooter D 455
- Kirkwood J M, Brown I W
Effect of limb damage on the survival and burial time of discarded spanner crabs *Ranina ranina* (Linnaeus). 41
- Kobayashi T, Shiell R J, Gibbs P
Size structure of river zooplankton: seasonal variation, overall pattern and functional aspect. 547
- Koedam N
See Dahdouh-Guebés F 345
- Kroese M, Sauer W H H
Elasmobranch exploitation in Africa. 573
- Kühl H
See Hakvoort J H M 867
- Lake P S
See Schreiber E S G 73
and Quinn G P 157
- Lane B
See Gribble N A 645
- Leach J
See McGoldrick M 875
- Lee R
See Apte S C 203
- Lee S Y
Ecological role of grapsid crabs in mangrove ecosystems: a review 335
- Leeming R, Nichols P D
Determination of the sources and distribution of sewage and pulp-fibre-derived pollution in the Derwent Estuary, Tasmania, using sterol biomarkers. 7
See also Nichols P D 763
- Lessa R, Santana F M
Age determination and growth of the smalltail shark, *Carcharhinus porosus*, from northern Brazil. 705
- Li Q, McGowan B
Oceanographic implications of recent planktonic foraminifera along the southern Australian margin. 439
- Lipcius R N, Eggleston D B, Miller D L, Luhrs T C
The habitat-survival function for Caribbean spiny lobster: an inverted size effect and non-linearity in mixed algal and seagrass habitats. 807
- López C, Ochoa E, Pérez R, Theis S
Epizoans on a tropical freshwater crustacean assemblage. 271
- Lou D C
See Russ G R 507

- Loughland R A
Mangal roost selection by the flying-fox
Pteropus alecto (Megachiroptera:
Pteropodidae). 351
- Luhns T C
See Lipcius R N 807
- Lukatelich R J
See McAuliffe T F 463
- Mackay D
See Bridge N F 679
Marin Y H, Brum F, Barea L C, Chocca J F
Incidental catch associated with swordfish
longline fisheries in the south-west Atlantic
Ocean. 633
- Marin Y H, Brum F, Barea L C, Chocca J F
Incidental catch associated with swordfish
longline fisheries in the south-west Atlantic
Ocean. 633
- Marquez-Farias J F
See Castillo-Géniz J L 611
- Marsh R E
See Jones A R 863
- Marshall J A
See Hallegraef G M 415
- Martin P M V
See Teai T 127
- McAuliffe T F, Lukatelich R J, McComb A J,
Qiu S
Nitrate applications to control phosphorus
release from sediments of a shallow
eutrophic estuary: an experimental
evaluation. 463
- McComb A J
See McAuliffe T F 463
- McEwan J, Gabric A J, Bell P R F
Water quality and phytoplankton dynamics
in Moreton Bay, SE Queensland: II
Mathematical modelling. 227
See also Gabric A J 215
- McGoldrick M, Leach J
Use of a semi-submersible vessel to
supplement satellite data in mapping the
sub-tidal environment of Lonsdale Bight,
Australia. 875
- McGowan B
See Li Q 439
- McKie B G L, Cranston P S
Keystone coleopterans? Colonization by
wood-feeding elmdids of experimentally
immersed woods in south-eastern Australia.
79
- McPherson G
See Gribble N A 645
- Miller D L
See Lipcius R N 807
- Milton D A, Die D, Tenakanai C, Swales S
Selectivity for barramundi (*Lates calcarifer*)
in the Fly River, Papua New Guinea:
implications for managing gill-net fisheries
on protandrous hermaphrodite fishes. 499
- Mitchell B D
See Walsh C J 769
- Morehead D T
Effect of capture, confinement and repeated
sampling on plasma steroid concentrations
and oocyte size in female striped trumpeter
Latris lineata (Latrididae). 373
- Morison A K, Coutin P C, Robertson S G
Age determination of black bream,
Acanthopagrus butcheri (Sparidae), from
the Gippsland Lakes of south-eastern
Australia indicates slow growth and
episodic recruitment. 491
- Murray A
See Jones A R 863
- Murray M
See Dudley S F J 653
- Neira F J
See Pironet F N 133
- Newton G
See Bridge N F 679
- Ng J
See Gordon A N 409
- Nichols P D, Bakes M J, Elliott N G
Oils rich in docosahexaenoic acid in livers of
sharks from temperate Australian waters. 763
- Nichols P D
See also Leeming R 7
- O'Driscoll R L
Feeding and schooling behaviour of
barracouta (*Thyrsites atun*) off Otago, New
Zealand. 19
- Ochoa E
See López C 271
- Páez R
See López C 271
- Palomares M L D, Pauly D
Predicting food consumption of fish
populations as functions of mortality, food
type, morphometrics, temperature and
salinity. 447
- Pankhurst N W
See Haddy J A 389
- Pankhurst N W
See Barnett C W 0
- Pankhurst P M, Hilder P E
Effect of light intensity on feeding of
striped trumpeter *Latris lineata* larvae. 363
- Pauly D
See Palomares M L D 447
- Pironet F N, Neira F J
Hormone-induced spawning and
development of artificially reared larvae of
the West Australian dhufish, *Glaucosoma
hebraicum* (Glaucosomatidae). 133
- Poore G C B
See Wilson R S 847
- Pople A R
See Gordon A N 409
- Puckridge J T, Sheldon F, Walker K F,
Boulton A J
Flow variability and the ecology of large
rivers. 55
See also Sheldon F 171
- Punt A E, Walker T I
Stock assessment and risk analysis for the
school shark (*Galeorhinus galeus*) off
southern Australia. 719
- Qiu Song
See McAuliffe T F 463
- Quinn G P, Lake P S, Schreiber E S G
Colonization by lake benthos of hard
substrata in the water column versus on the
bottom. 157
See also Schreiber E S G 73
- Rakocinski C F
See Gaston G R 833
- Rasolofoharino M
See Blasco F 287
- Rendell P S
See Apte S C 203
- Richardson A M M, Swain R, Wong V
Relationship between the crustacean and
molluscan assemblages of Tasmanian
saltmarshes and the vegetation and soil
conditions. 785
- Riethmüller R
See Hakvoort J H M 867
- Roach A C
Effects of predation on the size structure of
the gastropod *Salinator solida* (Martens)
populations at Towra Point, NSW, Australia.
779
- Roast S D, Thompson R S, Widdows J,
Jones M B
Mysids and environmental monitoring: a
case for their use in estuaries. 827
- Robertson S G
See Morison A K 491
- Rodriguez de la Cruz M C
See Castillo-Géniz J L 611
- Rohde K, Ho J-S, Smales L, Williams R
Parasites of Antarctic fishes: Monogenea,
Copepoda and Acanthocephala. 121
- Russ G R, Lou D C, Higgs J B, Ferreira B P
Mortality rate of a cohort of the coral trout,
Plectropomus leopardus, in zones of the
Great Barrier Reef Marine Park closed to
fishing. 507
- Saenger P
Mangrove vegetation: an evolutionary
perspective. 277
See also Youssef T 329
- Sagar P M, Glova G J
Diel feeding and prey selection of three size
classes of shortfinned eel (*Anguilla
australis*) in New Zealand. 421
- Santana F M
See Lessa R 705
- Sauer W H H
See Kroese M 573
- Schreiber E S G
See Quinn G P 157
- Schreiber E S G, Glaister A, Quinn G P,
Lake P S
Life history and population dynamics of the
exotic snail *Potamopyrgus antipodarum*
(Prosobranchia: Hydrobiidae) in Lake
Purrumbete, Victoria, Australia. 73
See also Quinn G P 157

- Schwarz A-M
See Kirk J T O 1
- Seitz R D
Incorporation of soft-sediment systems into a model of marine benthic community regulation. 817
- Sellin M J
See Begg G A 109
- Sheaves M
Spatial patterns in estuarine fish faunas in tropical Queensland: a reflection of interaction between long-term physical and biological processes? 31
- Sheldon F, Walker K F
Spatial distribution of littoral invertebrates in the lower Murray-Darling river system, Australia. 171
See also Puckridge J T 55
- Shiel R J
See Kobayashi T 547
- Shooter D, Davies-Colley R J, Kirk J T O
Light absorption and scattering by ocean waters in the vicinity of the Chatham Rise, South Pacific Ocean. 455
See also Kirk J T O 1
- Show C
See Smith S E 663
- Simpfendorfer C A
Diet of the Australian sharpnose shark, *Rhizoprionodon taylori*, from northern Queensland. 757
- Simpfendorfer C A, Donohue K
Keeping the fish in 'fish and chips': research and management of the Western Australian shark fishery. 593
- Simpfendorfer C A, Unsworth P
Reproductive biology of the whiskery shark, *Furgaleus macki*, off south-western Australia. 687
- Gill-net mesh selectivity of dusky sharks (*Carcharhinus obscurus*) and whiskery sharks (*Furgaleus macki*) from south-western Australia. 713
- Smale M J
See Watson G 695
- Smales L
See Rohde K 121
- Smith S E, Au D W, Show C
Intrinsic rebound potentials of 26 species of Pacific sharks. 663
- Snedaker S C, Araújo R J
Stomatal conductance and gas exchange in four species of Caribbean mangroves exposed to ambient and increased CO₂. 325
- Soloviev Y P
See Babanin A V 89
- Speed S R
See Wells R M G 143
- Stark J S
Heavy metal pollution and macrobenthic assemblages in soft-sediments in two Sydney estuaries, Australia. 533
- Swain R
See Richardson A M M 785
- Swales S
See Milton D A 499
- Szymczak R
See Apte S C 203
- Tack J F
See Dahdouh-Guebas F 345
- Taylor R B, Willis T J
Relationships amongst length, weight and growth of north-eastern New Zealand reef fishes. 255
- Teai T, Drollet J H, Bianchini J-P, Cambon A, Martin P M V
Occurrence of ultraviolet radiation-absorbing mycosporine-like amino acids in coral mucus and whole corals of French Polynesia. 127
- Tenakanai C
See Milton D A 499
- Theis S
See López C 271
- Thompson R S
See Roast S D 827
- Tong L J
See James P J 151
- Twilley R R, Chen R
A water budget and hydrology model of a basin mangrove forest in Rookery Bay, Florida. 309
- Underwood A J, Chapman M G
Variation in algal assemblages on wave-exposed rocky shores in New South Wales. 241
- Unsworth P
See Simpfordorfer C A 687
and Simpfordorfer C A 713
- Valentine J
See Hallegraeff G M 415
- Vanderklift M A, Jacoby C A, Horwitz P
Comparison of catches taken in dual-mesh beach seines of two different lengths. 513
- Van Der Molen S, Caille G, González R
By-catch of sharks in Patagonian coastal trawl fisheries. 641
- Van Speybroeck D
See Dahdouh-Guebas F 345
- van Tussenbroek B I, Brearley A
Isopod burrowing in leaves of turtle grass, *Thalassia testudinum*, in a Mexican Caribbean reef lagoon. 525
- Verneir M
See Dahdouh-Guebas F 345
- Waite T D
See Apte S C 203
- Walker K F
See Puckridge J T 55
and Sheldon F 171
- Walker T I
Can shark resources be harvested sustainably? A question revisited with a review of shark fisheries. 553
See also Punt A E 719
- Walsh C J, Mitchell B D
Factors associated with variations in abundance of epifaunal caridean shrimps between and within estuarine seagrass meadows. 769
- Walsh K, Jones G J, Dunstan R H
Effects of high irradiance and iron concentration on pigment and fatty acid composition in the cyanobacterium *Microcystis aeruginosa*. 399
- Ward R D
See Innes B H 383
and Gardner M G 733
- Watson G, Smale M J
Reproductive biology of shortnose spiny dogfish, *Squalus megalops*, from the Agulhas Bank, South Africa. 695
- Weber R E
See Wells R M G 143
- Wells R M G, Baldwin J, Speed S R, Weber R E
Haemocyanin function in the New Zealand abalones *Haliotis iris* and *H. australis*: relationships between oxygen-binding properties, muscle metabolism and habitat. 143
- Widdows J
See Roast S D 827
- Williams R
See Rohde K 121
- Willis T J
See Taylor R B 255
- Wilson R S, Heislars S, Poore G C B
Changes in benthic communities of Port Phillip Bay, Australia, between 1969 and 1995. 847
- Witte G
See Hakvoort J H M 867
- Wong V
See Richardson A M M 785
- Youssef T, Saenger P
Photosynthetic gas exchange and water use in tropical and subtropical populations of the mangrove *Aegiceras corniculatum*. 329
See also Saenger P 277

